

Surmont Operations De-oiled Tank Outlet Water

Date of Preparation: December 21, 2015

Section 1: IDENTIFICATION		
Product Name:	Surmont Operations De-oiled Tank Outlet Water	
Synonyms:	Not available.	
SDS Number:	826049	
Product Use:	Industrial use.	
Restrictions on Use:	Not available.	
Manufacturer/Supplier:	ConocoPhillips Canada Limited or its Affiliates PO Box 130, 401 9th Ave. SW Calgary, Alberta T2P 2H7 Canada	
Phone Number:	Customer Service & Technical Information: 403-233-4000 SDS Information: 855-244-0762	
Emergency Phone:	Chemtrec: 800-424-9300 (24 Hours) CANUTEC (613) 996-6666	
Date of Preparation of SDS:	December 21, 2015	
Section 2: HAZARD(S) IDENTIFICATION		

GHS INFORMATION

Classification: Not hazardous according to OSHA criteria (29 CFR 1910.1200). Not hazardous according to WHMIS 2015 criteria.

LABEL ELEMENTS

Hazard Pictogram(s):	None.	
Signal Word:	None.	
Hazard Statements:	Not applicable.	
Precautionary Statements		
Prevention:	Not applicable.	
Response:	Not applicable.	

- Storage: Not applicable.
- Disposal: Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity: None.

This material is not considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is not considered hazardous by the Hazardous Products Regulations, 2015.



Surmont Operations De-oiled Tank Outlet Water

Date of Preparation: December 21, 2015

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS				
Ingredient(s)		Common name / Synonyms	CAS No.	% wt./wt.
Sodium chloride (Na	aCI)	Not available.	7647-14-5	0.1 - 1
	Section	1 4: FIRST-AID MEASURES	8	
Inhalation:	ion: If inhaled: Call a poison center or doctor if you feel unwell.			
	Signs/symptoms	d symptoms and effects: M may include cough, snee: eness, and nose and thro	zing, nasal discha	
Eye Contact:	If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor if you feel unwell.			
		d symptoms and effects: M may include redness, swe		
Skin Contact:	If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell.			
		d symptoms and effects: N may include localized red		
Ingestion:	occurs naturally, Do NOT induce	I a poison center or docto have victim lean forward to comiting unless directed to ing by mouth to an uncon	to reduce the risk of do so by medical	of aspiration.
		d symptoms and effects: N ymptoms may include abo and diarrhea.		
General Advice:		nt or if you feel unwell, se r SDS where possible).	ek medical advice	immediately
Note to Physicians:	Symptoms may r	not appear immediately.		
Section 5: FIRE-FIGHTING MEASURES				

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria.

Sensitivity to Mechanical Impact: Sensitivity to Static Discharge:	This material is not sensitive to mechanical impact. This material is not sensitive to static discharge.
MEANS OF EXTINCTION Suitable Extinguishing Media:	Small Fire: Dry chemical, CO2, water spray or regular foam.
	Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.
Unsuitable Extinguishing Media:	Not available.



Date of Preparation: December 21, 2015

Soction 6: ACCIDENTAL DELEASE MEASURES	
Protection of Firefighters:	Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Products of Combustion:	Sodium oxide. Chlorine.
SAFETY DATA SHEET	Date of Preparation: December 21, 2015

Section 6: ACCIDENTAL RELEASE MEASURES		
Emergency Procedures:	Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).	
Personal Precautions:	Do not touch or walk through spilled material. Use personal protection recommended in Section 8.	
Environmental Precautions:	Keep out of drains, sewers, ditches, and waterways.	
Methods for Containment:	Stop leak if without risk. Do not flush to sewer or allow to enter waterways.	
Methods for Clean-Up:	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.	
Other Information:	See Section 13 for disposal considerations.	
	Section 7: HANDLING AND STORAGE	

Handling:

Do not swallow. Wash thoroughly after handling. See Section 8 for information on Personal Protective Equipment.

Storage:

Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines Component

Sodium chloride [CAS No. 7647-14-5]

ACGIH: No TLV established. **OSHA:** No PEL established.

PEL: Permissible Exposure Limit **TLV:** Threshold Limit Value

Engineering Controls:

Not normally required.



Date of Preparation: December 21, 2015

SAFETY DATA SHEET

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Eye/Face Protection:

Wear safety glasses. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

Hand Protection:	Wear protective gloves. Consult manufacturer specifications for further information.
Skin and Body Protection:	Wear protective clothing.
Respiratory Protection:	Not required under normal use conditions.

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Clear liquid.	
Colour:	Colourless.	
Odour:	Odourless.	
Odour Threshold:	Not available.	
Physical State:	Liquid.	
pH:	9.8	
Melting Point / Freezing Point:	~ 0 °C (32 °F)	
Initial Boiling Point:	~ 100 °C (212 °F)	
Boiling Range:	Not available.	
Flash Point:	> 100 °C (212 °F)	
Evaporation Rate:	Not available.	
Flammability (solid, gas):	Not applicable.	
Lower Flammability Limit:	Not available.	
Upper Flammability Limit:	Not available.	
Vapor Pressure:	Not available.	
Vapor Density:	Not available.	
Relative Density:	Not available.	
Solubilities:	Soluble in water.	



Surmont Operations De-oiled Tank Outlet Water

SAFETY DATA S	SHEET	Date of Preparation: December 21, 2015
Partition Coe Octanol/Wate		Not available.
Auto-ignition	Temperature:	Not available.
Decompositi Temperature		Not available.
Viscosity:		Not available.
Percent Vola	tile, wt. %:	Not available.
VOC content	, wt. %:	Not available.
Density:		Not available.
Coefficient o Distribution:	f Water/Oil	Not available.
		Section 10: STABILITY AND REACTIVITY
Reactivity:		Contact with incompatible materials. Sources of ignition. Exposure to heat.
Chemical Sta	ability:	Stable under normal storage conditions.
Possibility of Reactions:	f Hazardous	None known.
Conditions to	o Avoid:	Contact with incompatible materials. Sources of ignition. Exposure to heat.
Incompatible	Materials:	Strong oxidizers.
Hazardous Decomposition Products: Not available.		
Section 11: TOXICOLOGICAL INFORMATION		
EFFECTS OF	ACUTE EXPO	SURE
Product Toxi	icity	
Oral:	Not available	е.
Dermal:	Not available.	
Inhalation:	Not available	е.
-		

Component Toxicity Component CAS No. LD₅₀ oral LD50 dermal LC50 Sodium chloride 7647-14-5 > 10000 mg/kg > 42000 mg/m³ 3000 mg/kg (rat) (rabbit) (rat); 1H

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion. Skin absorption.

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system.

Symptoms (including delayed and immediate effects)

- Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
- Eye: May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.



Surmont Operations De-oiled Tank Outlet Water

Date of Preparation: December 21, 2015

SAFETY DATA SHEET

- **Skin:** May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
- **Ingestion:** May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin Sensitization:	Not available.
Respiratory Sensitization:	Not available.
Medical Conditions Aggravated By Exposure:	Not available.

EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs:	Skin. Eyes. Gastrointestinal tract. Respiratory system.
Chronic Effects:	Prolonged or repeated contact may dry skin and cause irritation.
Carcinogenicity:	This product does not contain any carcinogens or potential carcinogens as listed by ACGIH, IARC, OSHA, or NTP.
Mutagenicity:	Not available.
Reproductive Effects:	Not available.
Developmental Effects Teratogenicity:	Not available.
Embryotoxicity:	Not available.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION		
Ecotoxicity:	Not available.	
Persistence / Degradability:	Not available.	
Bioaccumulation / Accumulation:	Not available.	
Mobility in Environment:	Not available.	
Other Adverse Effects:	Not available.	
Section 13: DISPOSAL CONSIDERATIONS		
Disposal Instructions: Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more		

stringent than regional or national requirements.

Section 14: TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)		
Proper Shipping Name:	Not regulated.	
Class:	Not applicable.	
UN Number:	Not applicable.	
Packing Group:	Not applicable.	
Label Code:	Not applicable.	



Date of Preparation: December 21, 2015

Canada Transportation of Dangerous Goods (TDG) Proper Shipping Name: Not regulated.		
Class:	Not applicable.	
UN Number:	Not applicable.	
Packing Group:	Not applicable.	
Label Code:	Not applicable.	

Section 15: REGULATORY INFORMATION

Chemical Inventories

US (TSCA)

The components of this product are in compliance with the chemical notification requirements of TSCA.

Canada (DSL)

The components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

Federal Regulations

United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III

No components are listed.

State Regulations

Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

No components are listed.

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

No components are listed.

Pennsylvania US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

No components are listed.

California

California Prop 65: This product does not contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.



Surmont Operations De-oiled Tank Outlet Water

Date of Preparation: December 21, 2015

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

Date of Preparation of SDS:	December 21, 2015
Version:	1.0
GHS SDS Prepared by:	Deerfoot Consulting Inc.
	Phone: (403) 720-3700