

# **Surmont Operations WLS Sludge Wasting**

Date of Preparation: December 21, 2015

**Section 1: IDENTIFICATION** 

Product Name: Surmont Operations WLS Sludge Wasting

**Synonyms:** Not available.

**SDS Number:** 826050

Product Use: Industrial use.

Restrictions on Use: Not available.

Manufacturer/Supplier: ConocoPhillips Canada Limited or its Affiliates

PO Box 130, 401 9th Ave. SW Calgary, Alberta T2P 2H7

Canada

Phone Number: Customer Service & Technical Information: 403-233-4000

SDS Information: 855-244-0762

Emergency Phone: Chemtrec: 800-424-9300 (24 Hours)

CANUTEC (613) 996-6666

Date of Preparation of SDS: December 21, 2015

# Section 2: HAZARD(S) IDENTIFICATION

#### **GHS INFORMATION**

Classification: Not hazardous according to OSHA criteria (29 CFR 1910.1200).

Not hazardous according to WHMIS 2015 criteria.

**LABEL ELEMENTS** 

Hazard None.

Pictogram(s):

Signal Word: None.

Hazard Not applicable.

Statements:

**Precautionary Statements** 

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients with Unknown Toxicity: None.

This material is not considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is not considered hazardous by the Hazardous Products Regulations, 2015.



Date of Preparation: December 21, 2015

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient(s) Common name / CAS No. % wt./wt.

Synonyms

Sodium chloride (NaCl) Not available. 7647-14-5 0.5 - 1.5

**Section 4: FIRST-AID MEASURES** 

**Inhalation:** If inhaled: Call a poison center or doctor if you feel unwell.

Acute and delayed symptoms and effects: May cause respiratory irritation.

Signs/symptoms may include cough, sneezing, nasal discharge,

headache, hoarseness, and nose and throat pain.

**Eye Contact:** If in eyes: Rinse cautiously with water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Call a poison

center or doctor if you feel unwell.

Acute and delayed symptoms and effects: May cause eye irritation.

Signs/symptoms may include redness, swelling, pain, tearing, and blurred

or hazy vision.

Skin Contact: If on skin: Wash with plenty of water. Call a poison center or doctor if you

feel unwell.

Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

**Ingestion:** If swallowed: Call a poison center or doctor if you feel unwell. If vomiting

occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

**Acute and delayed symptoms and effects:** May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset,

nausea, vomiting and diarrhea.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or SDS where possible).

**Note to Physicians:** Symptoms may not appear immediately.

**Section 5: FIRE-FIGHTING MEASURES** 

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria.

**Sensitivity to Mechanical Impact:** This material is not sensitive to mechanical impact.

**Sensitivity to Static Discharge:** This material is not sensitive to static discharge.

**MEANS OF EXTINCTION** 

Suitable Extinguishing Media: Small Fire: Dry chemical, CO2, water spray or regular foam.

Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

Unsuitable Extinguishing Media: Not available.



# **Surmont Operations WLS Sludge Wasting**

Date of Preparation: December 21, 2015

**Products of Combustion:** Sodium oxide. Chlorine.

**Protection of Firefighters:** Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only

provide limited protection.

# Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Keep unauthorized personnel away. Stay upwind. Keep out of low

areas. Ventilate closed spaces before entering. ELIMINATE all

ignition sources (no smoking, flares, sparks or flames in

immediate area).

Personal Precautions: Do not touch or walk through spilled material. Use personal

protection recommended in Section 8.

**Environmental Precautions:** Keep out of drains, sewers, ditches, and waterways.

**Methods for Containment:** Stop leak if without risk. Do not flush to sewer or allow to enter

waterways.

**Methods for Clean-Up:** Absorb or cover with dry earth, sand or other non-combustible

material and transfer to containers.

Other Information: See Section 13 for disposal considerations.

## **Section 7: HANDLING AND STORAGE**

## Handling:

Do not swallow. Wash thoroughly after handling. See Section 8 for information on Personal Protective Equipment.

#### Storage:

Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

## Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

# Exposure Guidelines Component

Sodium chloride [CAS No. 7647-14-5]

**ACGIH:** No TLV established. **OSHA:** No PEL established.

**PEL:** Permissible Exposure Limit **TLV:** Threshold Limit Value

**Engineering Controls:** Not normally required.



# **Surmont Operations WLS Sludge Wasting**

Date of Preparation: December 21, 2015

## PERSONAL PROTECTIVE EQUIPMENT (PPE)



Eye/Face Protection: Wear safety glasses. Use equipment for eye protection that

meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in 29 CFR

1910.133 for Personal Protective Equipment.

**Hand Protection:** Wear protective gloves. Consult manufacturer specifications

for further information.

**Skin and Body Protection:** Wear protective clothing.

**Respiratory Protection:** Not required under normal use conditions.

General Hygiene Considerations: Handle according to established industrial hygiene and

safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to

ensure adequate protection.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid.

Colour: Colourless.

Odour: Odourless.

Odour Threshold: Not available.

Physical State: Liquid. pH: 9.96

**Melting Point / Freezing** 

Point:

~ 0 °C (32 °F)

Initial Boiling Point: ~ 100 °C (212 °F)

Boiling Range: Not available.

Flash Point:  $> 100 \, ^{\circ}\text{C} \, (212 \, ^{\circ}\text{F})$ 

**Evaporation Rate:** Not available.

Flammability (solid, gas): Not applicable.

Lower Flammability Limit: Not available.

Upper Flammability Limit:Not available.Vapor Pressure:Not available.Vapor Density:Not available.

**Relative Density:** 1.003 (Water = 1) at 25 °C (77 °F)

**Solubilities:** Soluble in water.



Date of Preparation: December 21, 2015

Partition Coefficient: n-

Octanol/Water:

**SAFETY DATA SHEET** 

Not available.

Auto-ignition Temperature:

Not available.

Decomposition

Not available.

Temperature:

Viscosity: Not available.

Percent Volatile, wt. %: Not available.

VOC content, wt. %: Not available.

Density: Not available.

Coefficient of Water/Oil

Distribution:

Not available.

## Section 10: STABILITY AND REACTIVITY

**Reactivity:** Contact with incompatible materials. Sources of ignition. Exposure to

heat.

**Chemical Stability:** Stable under normal storage conditions.

**Possibility of Hazardous** 

Reactions:

None known.

Conditions to Avoid: Contact with incompatible materials. Sources of ignition. Exposure to

heat.

**Incompatible Materials:** Strong oxidizers.

Hazardous Decomposition Products: Not available.

#### Section 11: TOXICOLOGICAL INFORMATION

#### **EFFECTS OF ACUTE EXPOSURE**

**Product Toxicity** 

Oral: Not available.

Dermal: Not available.

Inhalation: Not available.

**Component Toxicity** 

Component CAS No. LD50 oral LD50 dermal LC50

Sodium chloride 7647-14-5 3000 mg/kg (rat) > 10000 mg/kg > 42000 mg/m<sup>3</sup>

(rabbit) (rat); 1H

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion. Skin absorption.

**Target Organs:** Skin. Eyes. Gastrointestinal tract. Respiratory system.

Symptoms (including delayed and immediate effects)

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing,

nasal discharge, headache, hoarseness, and nose and throat pain.

**Eye:** May cause eye irritation. Signs/symptoms may include redness, swelling, pain,

tearing, and blurred or hazy vision.



# **Surmont Operations WLS Sludge Wasting**

Date of Preparation: December 21, 2015

**Skin:** May cause skin irritation. Signs/symptoms may include localized redness, swelling,

and itching.

**Ingestion:** May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain,

stomach upset, nausea, vomiting and diarrhea.

Skin Sensitization:Not available.Respiratory Sensitization:Not available.Medical ConditionsNot available.

**Aggravated By Exposure:** 

**EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)** 

**Target Organs:** Skin. Eyes. Gastrointestinal tract. Respiratory system.

**Chronic Effects:** Prolonged or repeated contact may dry skin and cause irritation.

Carcinogenicity: This product does not contain any carcinogens or potential

carcinogens as listed by ACGIH, IARC, OSHA, or NTP.

Mutagenicity: Not available.

Reproductive Effects: Not available.

**Developmental Effects** 

**Teratogenicity:** Not available. **Embryotoxicity:** Not available.

Toxicologically Synergistic Materials: Not available.

# **Section 12: ECOLOGICAL INFORMATION**

Ecotoxicity: Not available.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Other Adverse Effects: Not available.

**Section 13: DISPOSAL CONSIDERATIONS** 

**Disposal Instructions:** Disposal should be in accordance with applicable regional, national

and local laws and regulations. Local regulations may be more

stringent than regional or national requirements.

#### **Section 14: TRANSPORT INFORMATION**

**U.S. Department of Transportation (DOT)** 

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Label Code: Not applicable.



Date of Preparation: December 21, 2015

Canada Transportation of Dangerous Goods (TDG)

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Not applicable.

#### Section 15: REGULATORY INFORMATION

#### **Chemical Inventories**

**SAFETY DATA SHEET** 

## US (TSCA)

Label Code:

The components of this product are in compliance with the chemical notification requirements of TSCA.

# Canada (DSL)

The components of this product are in compliance with the chemical notification requirements of the NSN Regulations under CEPA, 1999.

#### **Federal Regulations**

#### **United States**

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SARA Title III**

No components are listed.

#### **State Regulations**

#### Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

No components are listed.

# **New Jersey**

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

No components are listed.

#### Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

No components are listed.

## California

California Prop 65: This product does not contain chemicals known to the State of California

to cause cancer, birth defects or other reproductive harm.



Date of Preparation: December 21, 2015

## **Section 16: OTHER INFORMATION**

## Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

Date of Preparation of SDS: December 21, 2015

Version: 1.0

GHS SDS Prepared by: Deerfoot Consulting Inc.

Phone: (403) 720-3700